



CNG-Powered Vehicles



Sharjah, United Arab Emirates
+971 50.780.0591 / +86 130.4503.1606
sales@nexusgroupuae.com
www.nexusgroupuae.com

CNG Tractor Truck Sitrak 440HP Powerful Cargo Transportation Truck



Product Description
SITRAK C7H 4X2 CNG tractor is a high-performance natural gas tractor with many advantages. It is equipped with a MAN technology engine that delivers 440 horsepower and a maximum torque of 2100 N·m, providing strong and efficient power for heavy-duty transportation. The vehicle also features a ZF 16S2230 TO manual transmission, which ensures smooth gear shifting and high transmission efficiency, making it adaptable to various complex working conditions. The vehicle adopts an air suspension system (front with fewer leaf springs and rear with air suspension), ensuring a smooth ride and high comfort, effectively reducing the risk of cargo jolting and enhancing the driving experience. The C7H-G classic cab design offers spacious interior space with a high-roof sleeper, providing a comfortable environment for drivers. The chassis, built with TGA technology, is robust and durable with strong load-carrying capacity. The vehicle is also equipped with a rich set of safety features, including ABS, ASR, EBL, LDWS, and FCWS systems, ensuring comprehensive driving safety. Moreover, the vehicle uses CNG as a clean energy source, which is environmentally friendly and economical, meeting the National VI emission standards and contributing to green transportation. The aluminum wheels and integral fenders help to reduce the vehicle's weight and improve fuel economy. Details such as the low-position non-metallic bumper and 50# JOST fifth wheel further enhance the vehicle's practicality and reliability. In summary, this tractor, with its outstanding power performance, comfortable driving experience, robust chassis, and comprehensive safety features, is a reliable choice for long-haul logistics transportation.

Product Parameters	
Model: Tractor	Rear axle: MCY13JES (Disc brake, single rear axle)
Brand: Sinotruk Sitrak	Speed ratio: 3.36
Model: C7H 4X2	Frame technology: TGA technology frame
Drive form: 4X2	Steering gear: steering gear
Emission standard: National VI	ABS: 4S/4M(Four-channel four-wheel anti-lock braking system)
Fuel type: CNG (Compressed Natural Gas)	ASR: Drive the anti-slip system
Permitted passenger capacity: Three people	EBL: Electronic braking force distribution system
Maximum speed limit: 89 km/h	Bumper: Low-position bumper (non-metallic material)
Model: Man Technology Engine (MC Series)	Wheel: Aluminum alloy wheels (domestic)
Maximum horsepower: 440 horsepower	Tire specification: 295/80 r22. 5
Maximum torque: 2100 N·m	Mudguard: Integral mudguard
Torque speed range: 1000-1400 rpm	Gas cylinder configuration: 212*8 + 80*4 (Quantity and specification of gas cylinders)
Rated speed: 1900 rpm	LDWS: Lane departure warning system
Model: ZF16S2230 TO	FCWS: Front Collision Warning system (with)
Type: Manual transmission	Saddle: 50# JOST saddle
Forward gear: 16 levels	Exhaust system: Standard exhaust system
Reverse gear number: Two	Wheelbase: 3600 mm (The specific wheelbase needs to be confirmed based on the actual vehicle model)
Front suspension: Airbag suspension (front less leaf spring)	Sleeper width: 800 mm (The specific width needs to be confirmed according to the configuration of the cab)
Rear suspension: Airbag suspension (air suspension)	Cab height: High-roof cab
Suspension form: 3/0 (front 3 pieces with rear air suspension)	Electrical system voltage: 24V
Front axle: VPD75ES (Disc Brake)	Battery: Maintenance-free battery

HOWO Th7 Dump Truck 460HP CNG Fuel



Product Description

HOWO TH7 8X4 460HP CNG dump truck is a high-performance transportation vehicle that integrates environmental protection, power, and load-bearing capabilities. Equipped with a Weichai 460HP CNG engine, it complies with the China VI emission standards, offering both energy efficiency and environmental friendliness. The presence of a heavy-duty 12-speed gearbox from Sinotruk and an MCP 16-ton rear axle ensures stability and load capacity under heavy loads and on rough terrain. The cargo box, made of high-strength wear-resistant plates, is highly durable. The 8x4 drive configuration provides excellent maneuverability, suitable for various working conditions. Inside the cab, features such as air suspension seats and electric lifting enhance driving comfort. Additionally, the truck may be equipped with intelligent systems and safety features like ABS, enhancing safety and management convenience. Overall, this truck stands out for its exceptional performance and cost-effectiveness, making it an ideal choice for heavy-duty transportation in construction, mining, and other similar fields.

Product Parameters

Model: HOWO TH7 8X4 dump truck
Emission standard: National VI
Energy type: Compressed Natural Gas (CNG)
Brand: Weichai
Horsepower: 460HP
Features: Highly efficient and environmentally friendly, it meets the National VI emission standards
Brand: Sinotruk
Gear: 12 speed
Type: Manual transmission
Brand: MCP
Load-carrying capacity: 16-ton heavy-duty rear axle
Type: The double rear axle design enhances load-bearing capacity and stability
Size: 7300mm (length) x 2350mm (width) x 1500mm (height)
Material: The base plate is 7mm thick and the side plates are 5mm high-strength wear-resistant plates, which enhance the durability and load-bearing capacity of the cargo box
Drive form: 8x4, enhancing the vehicle's carrying capacity and passability
Frame: The reinforced frame enhances the vehicle's stability and load-bearing capacity
Specification: 12R22.5, suitable for heavy loads and harsh road conditions
Lifting: Electric
Permitted number of passengers: Three people
Seating row: Half row
Driver's seat form: Airbag shock-absorbing seats offer a comfortable driving experience
Others: Rotary PTO, standard exhaust system, center bumper (non-metallic), enhancing the practicality and safety of the vehicle
Color: red
Vehicle body length: 11.5 meters
Vehicle body width: 2.55 meters
Vehicle body height: 3.5 meters

High Load Capacity and Durability
Tractor HOWO Tx7 6X4 480HP



Product Description

HOWO TX7 6×4 National VI LNG steel plate axle manual transmission (liquid slow) 480-horsepower tractor, with its powerful performance, high load capacity, economical and environmentally friendly LNG fuel, comprehensive safety configuration and comfortable humanized design, is highly suitable for heavy-duty working conditions such as coal transportation. It not only meets users' demands for transportation efficiency and economic benefits, but also provides reliable safety guarantees in complex road conditions. It is a tractor with outstanding comprehensive performance.

Product Parameters

Announcement model: ZZ4257V324HE1H	Forward gear: Gear 12
Drive form: 6×4	Reverse gear count: Two
Wheelbase: 3225+1350mm/3200+1400mm	Frame: TGA Technology Frame B version
Body dimensions: Length: 6,985, width: 2,496, height: 3,230	Front axle: VGD50 Self-adjusting arm Front Axle (drum)
Preparation quality: Approximately 9,800 kg/ 10,500 kg	Rear axle: HDZ425QGY self-adjusting arm double bridge (drum), speed ratio 3.7
Total mass: 25000kg	Suspension type: Front and rear few leaf springs (2/2)
Total mass of the quasi-trailer: 37000kg	Saddle: 90# Diamond Saddle
Model: WP13NG480E61	Tire specifications: 12R22.5 (Longitudinal pattern / 18PR)
Brand: Weichai	Number of tires: Ten
Number of cylinders: "6 cylinders	Front track: 2022mm
Fuel type: LNG	Rear track: 1830/1830mm
Cylinder arrangement form: Vertical column	Wheel material: Front aluminum alloy wheels (domestic) + rear lightweight wheels
Displacement: 13L	Cab type: TXU cab
Emission standard: National VI	Permitted number of passengers: 2 people / 3 people
Maximum horsepower: 480 horsepower	Seating row: Half row
Maximum output power : 353kW	Front wheel brake: Drum type
Maximum torque: 2500N·m	Rear wheel brake: Drum type
Rated speed: 1900rpm	ABS Anti-lock Braking: It has (4S/4M) +ESC
Model: HW25712XSCL	Hydraulic retarder: Fast hydraulic retarder
Brand: Sinotruk	
Gear shifting method: Manual	

LNG Tractor Jh6 6X4 From FAW Jiefang, Equipped with 460HP



Product Description

Faw Jiefang JH6 6×4 460PS LNG tractor, Weichai National VI gas engine + FAST 12-speed, torque 2300 N·m, equipped with 457 steel plate axle, 3.727 speed ratio, 9.2t lightweight chassis can carry 39.6t, 1350L gas cylinder, range 800 km, saving more than 1 yuan per kilometer compared to diesel. The four-point suspended JH6 high-roof cab is equipped with automatic air conditioning, Internet of Vehicles, and an optional retarder. It can save 80,000 to 100,000 yuan in fuel costs annually, making it more profitable for long-distance logistics to carry more and run faster.

Product Parameters

Drive form: 6×4
Cab: JH6 High Roof Half-cab (2 passengers allowed)
Model: Weichai WP13NG460E61
Fuel: Liquefied Natural Gas (LNG)
Displacement: 12.54L
Maximum power: 338 kW / 460 PS
Maximum torque: 2 300 N·m / 1 100-1 500 rpm
Emission standard: National VI
Model: Faw Jiefang CA12TAX230M3 (12-speed manual, aluminum alloy housing)
Front axle: 7-ton class, with an allowable load capacity of 7,000 kg
Rear axle: Steel plate bridge (457 punched and welded bridge), 18-ton class two-axle set, allowable load 18,000 kg
Speed ratio: 3.727 (Options include 3.7, 4.111, etc.)
Suspension: Three quarters of the few leaf springs
Length × Width × height: 7 415 × 2 500 × 3 705 mm
Wheelbase: 3 800 + 1 350 mm
Preparation quality: Approximately 9.2 tons
Total mass: 25 t
Total traction mass: 39.605t
Tire specifications: 12R22.5 (10 vacuum tires)
Braking: The entire vehicle is equipped with air brakes, drum brakes, ABS, body stability system, and inter-axle differential locks
Other configurations: Aluminum alloy air storage tank, automatic adjustment arm, reversing interface, electric/heated rearview mirror, automatic air conditioning, cruise control, vehicle networking, forward collision warning, etc

LNG-Fueled Tractor HOWO Max Heavy Duty Truck



Product Description

HOWO MAX LNG 6×4 480HP Euro 6 automatic tractor is a high performance, low emission medium and long distance transportation tool. The vehicle is equipped with a Weichai 13L natural gas engine with a maximum horsepower of 480, which meets the National sixth emission standard, and is equipped with a 12-speed AMT transmission with strong power and smooth shifting. Its frame is made of high-strength steel, the wheelbase is 3800+1400mm, the total mass is 25 tons, the total traction mass is 40 tons, and the load capacity is excellent.



The vehicle adopts a lightweight design, equipped with aluminum alloy air storage cylinder and wheels, and weighs only 8.8 tons, effectively improving the cargo efficiency. The cab is a high-top two-bedroom layout, equipped with air bag seats, multi-functional steering wheel, central lock, power Windows and other comfortable configuration, the width of the sleeper is 85 cm, and the driving experience is comfortable. In addition, the vehicle is also equipped with a hydraulic retarder, reliable braking performance, high safety.

With its efficient power, environmental performance and comfortable configuration, HOWO MAX LNG tractor is the ideal choice for medium and long distance logistics, helping to improve transport efficiency while meeting environmental requirements.

Product Parameters

Durumda: Yeni	ABS (anti blokaj fren sistemi): Evet
Beygir gücü: > 450 bg	ESC (elektronik stabilite kontrol sistemi): Evet
Emisyon standardı: Euro 6 euro 5	Dokunmatik ekran: Evet
Marka adı: SINOTRUCK	Motor Marka: WEICHAI
Pazar Segement: Lojistik ulaşım	Silindir: 6
Motor kapasitesi: > 8L	İletim türü: Manuel
Sürücü tekerleği: 6x4	Ters Shift numarası: 2
Satış sonrası hizmet sağlanan: Video teknik destek, Online destek	Boyut: 7615*2530*3820mm
Menşe Yeri: Shandong, China	Kapasiteli (yük): 41 - 50t
Direksiyon: Sol	Yakıt Tankı Kapasitesi: 400-500L
Segement: Ağır kamyon	Sürücü koltuğu: Hava süspansiyon
İleri Shift numarası: 10	Cruise kontrol: ACC
Maksimum tork (Nm): 2000-2500Nm	CD + MP3 + Bluetooth: Evet
Gross Vehicle Weight: 8.8t	Pencere: Otomatik
Yolcular: 3	Klima: Otomatik
Koltuk satırlar: Yarım bir satır	Lastik numarası: 6
Arka kamera: Hiçbiri	Motor modeli: Weichai wp13ng480e61

966H Used Wheel Loader Good Working Condition
Strong Energy Construction Machine for Sale Promotion



Key attributes

Type: Backhoe Loader	Power(W): 147	Year: 2014
Rated Load: 7 Ton	Working hours: 2001-4000	Place of Origin: China
Machine Weight: 7000 - 8000 kg	Hydraulic Pump Brand: Other	Machinery Test Report: Provided
Engine Brand: Deutz	Core Components: Pressure Vessel, Motor, Gear, Pump, Engine	Video outgoing-inspection: Provided

388H 3 Ton Chinese Diesel 4x4 Backhoe Loader
Compact Price in Dubai New Mini Loader Backhoe



Key attributes

Brand Name: SHANNENG Type: Backhoe Loader Engine Brand: Yuchai Power(W): 91 kw Bucket capacity: 1.7m³ Place of Origin: Shandong, China Warranty: 1 Year Machine Weight: 100000 kg Hydraulic Pump Brand: Other	Moving Type: Wheel Loader Dimension(Long * Breadth * High): 6450*2400*3120mm Hydraulic Cylinder Brand: Other Hydraulic Valve Brand: Other UNIQUE SELLING POINT: Fully hydraulic system Machinery Test Report: Provided Video outgoing-inspection: Provided Core Components: Engine Length(with bucket on ground): 6450mm	Overall width(at stabilizer): 2400mm Load Bucket width: 2400mm Height(To the top of the cab): 3120mm Height(To the top of the digging pole): 3940mm Wheel base: 2335mm Back wheel Tread: 2139mm Rated load: 3000KG Operating weight: 8000kg Rated bucket capacity: 1.7m³
---	--	---

Retroexcavadora Cato Caterpillar Used Backhoe Loader Hot Sale
Cheap Original CAT 420F Practical High Quality Fast Delivery



Key attributes

Type: Front Loader, Skid Steer Loader, Other	Working hours: 0-2000	Machinery Test Report: Provided
Rated Load: 23698kg	Hydraulic Pump Brand: Other	Video outgoing-inspection: Provided
Machine Weight: 23600 - 23698 kg	Core Components: Motor, Pump, Gearbox	Brand: CAT
Engine Brand: CAT	Year: 2022	Engine type: Cat C11 ACERT
Power(W): 195 kW	Place of Origin: Japan	Output volume: 11.1 L

China Trade Crawler Type Used Excavator Bucket Various Accessories
Sell Used Cat Excavator CAT336GC Used Excavators No reviews yet



Key attributes

Operating Weight: 35500kg	Working hours: 2000-4000	Year: 2022
Bucket capacity: 1.5-2.0m³	Hydraulic Cylinder Brand: Caterpillar	Place of Origin: America
Engine Brand: Caterpillar	Hydraulic Pump Brand: Caterpillar	Machine Weight: 34500 KG
Power(W): 194kW	Hydraulic Valve Brand: Caterpillar	Core Components: Engine, hydraulic pump, distribution valve